

# 6.01 Introduction to EECS via Robotics

## Lecture 4: Analyzing System Behavior

Lecturer: Adam Hartz ([hz@mit.edu](mailto:hz@mit.edu))

### **As you come in...**

- Grab one handout (on the table by the entrance)
- Please sit near the front!


## 6.01: Big Ideas

---

The **intellectual themes** in 6.01 are recurring themes in engineering:

- design of complex systems
- modeling and controlling physical systems
- augmenting physical systems with computation
- building systems that are robust to uncertainty

Approach: focus on **key concepts** to pursue **in depth**




## 6.01: Big Ideas

---

The **intellectual themes** in 6.01 are recurring themes in engineering:

- design of complex systems
- modeling and controlling physical systems
- augmenting physical systems with computation
- building systems that are robust to uncertainty

Approach: focus on **key concepts** to pursue **in depth**



Focus: discrete-time feedback control systems

# This week

---

**Today:** Last signals and systems lecture :(

**Labs:** Fixing wall follower

# Midterm 1

---

**Time:** Tuesday, 12 March, 7:30-9:30pm

**Room:** TBD

**Coverage:** Everything up to and including week 5


You may refer to any printed materials you bring.  
You may not use computers, phones, or calculators.

Review materials will be posted this weekend.

# The Signals and Systems Abstraction

---


Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.



# The Signals and Systems Abstraction

---

Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.




Multiple representations with different strengths:

- **Difference Equation:** concise mathematical representation
- **State Machine:** computational framework for simulation
- **Block Diagram:** visual representation of signal flow paths
- **Operator Equation:** manipulation and combination
- **System Functional:** represent systems as operators
- **Poles:** predict long-term behavior

# The Signals and Systems Abstraction

---

Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.



Multiple representations with different strengths:


- **Difference Equation**: concise mathematical representation
- **State Machine**: computational framework for simulation
- **Block Diagram**: visual representation of signal flow paths
- **Operator Equation**: manipulation and combination
- **System Functional**: represent systems as operators
- **Poles**: predict long-term behavior



# The Signals and Systems Abstraction

---

Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.




Multiple representations with different strengths:

- **Difference Equation:** concise mathematical representation
- **State Machine:** computational framework for simulation
- **Block Diagram:** visual representation of signal flow paths
- **Operator Equation:** manipulation and combination
- **System Functional:** represent systems as operators
- **Poles:** predict long-term behavior

# The Signals and Systems Abstraction

---

Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.




Multiple representations with different strengths:

- **Difference Equation:** concise mathematical representation
- **State Machine:** computational framework for simulation
- **Block Diagram:** visual representation of signal flow paths
- **Operator Equation:** manipulation and combination
- **System Functional:** represent systems as operators
- **Poles:** predict long-term behavior

# The Signals and Systems Abstraction

---

Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.




Multiple representations with different strengths:

- **Difference Equation:** concise mathematical representation
- **State Machine:** computational framework for simulation
- **Block Diagram:** visual representation of signal flow paths
- **Operator Equation:** manipulation and combination
- **System Functional:** represent systems as operators
- **Poles:** predict long-term behavior

# The Signals and Systems Abstraction

---

Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.




Multiple representations with different strengths:

- **Difference Equation:** concise mathematical representation
- **State Machine:** computational framework for simulation
- **Block Diagram:** visual representation of signal flow paths
- **Operator Equation:** manipulation and combination
- **System Functional:** represent systems as operators
- **Poles:** predict long-term behavior

# The Signals and Systems Abstraction

---

Describe a **system** (physical, mathematical, or computational) by the way it transforms an input signal into an output signal.




Multiple representations with different strengths:

- **Difference Equation:** concise mathematical representation
- **State Machine:** computational framework for simulation
- **Block Diagram:** visual representation of signal flow paths
- **Operator Equation:** manipulation and combination
- **System Functional:** represent systems as operators
- **Poles:** predict long-term behavior

## System Functional – Review

---

We can express the relation between the (known) input and the (unknown) output using the system functional  $\mathcal{H}$ .



The system functional  $\mathcal{H}$  is an operator.

Applying  $\mathcal{H}$  to  $X$  yields  $Y$ .

$$Y = \mathcal{H}X$$


It is also convenient to think of  $\mathcal{H}$  as a ratio:

$$\mathcal{H} = \frac{Y}{X}$$

# Feedback and Cyclic Flow Paths

---

Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.




$$\frac{Y}{X} =$$

# Feedback and Cyclic Flow Paths

---

Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.




$$\frac{Y}{X} = \mathcal{H}_1$$



# Feedback and Cyclic Flow Paths

---

Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.




$$\frac{Y}{X} = \mathcal{H}_1 + \mathcal{H}_1^2 \mathcal{H}_2$$

# Feedback and Cyclic Flow Paths

---

Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.




$$\frac{Y}{X} = \mathcal{H}_1 + \mathcal{H}_1^2 \mathcal{H}_2 + \mathcal{H}_1^3 \mathcal{H}_2^2$$

# Feedback and Cyclic Flow Paths

---


Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.



$$\frac{Y}{X} = \mathcal{H}_1 + \mathcal{H}_1^2 \mathcal{H}_2 + \mathcal{H}_1^3 \mathcal{H}_2^2 + \mathcal{H}_1^4 \mathcal{H}_2^3$$

# Feedback and Cyclic Flow Paths

Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.




$$\frac{Y}{X} = \mathcal{H}_1 + \mathcal{H}_1^2 \mathcal{H}_2 + \mathcal{H}_1^3 \mathcal{H}_2^2 + \mathcal{H}_1^4 \mathcal{H}_2^3 + \mathcal{H}_1^5 \mathcal{H}_2^4$$

# Feedback and Cyclic Flow Paths

---


Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.



$$\frac{Y}{X} = \mathcal{H}_1 + \mathcal{H}_1^2 \mathcal{H}_2 + \mathcal{H}_1^3 \mathcal{H}_2^2 + \mathcal{H}_1^4 \mathcal{H}_2^3 + \mathcal{H}_1^5 \mathcal{H}_2^4 + \dots$$

# Feedback and Cyclic Flow Paths

Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.




$$\frac{Y}{X} = \mathcal{H}_1 + \mathcal{H}_1^2 \mathcal{H}_2 + \mathcal{H}_1^3 \mathcal{H}_2^2 + \mathcal{H}_1^4 \mathcal{H}_2^3 + \mathcal{H}_1^5 \mathcal{H}_2^4 + \dots$$

$$\frac{Y}{X} = \mathcal{H}_1 (1 + \mathcal{H}_1 \mathcal{H}_2 + \mathcal{H}_1^2 \mathcal{H}_2^2 + \mathcal{H}_1^3 \mathcal{H}_2^3 + \mathcal{H}_1^4 \mathcal{H}_2^4 + \dots)$$

# Feedback and Cyclic Flow Paths

Feedback produces cyclic flow paths, which lead to persistent responses for transient inputs.



$$\frac{Y}{X} = \mathcal{H}_1 + \mathcal{H}_1^2 \mathcal{H}_2 + \mathcal{H}_1^3 \mathcal{H}_2^2 + \mathcal{H}_1^4 \mathcal{H}_2^3 + \mathcal{H}_1^5 \mathcal{H}_2^4 + \dots$$


$$\frac{Y}{X} = \mathcal{H}_1 (1 + \mathcal{H}_1 \mathcal{H}_2 + \mathcal{H}_1^2 \mathcal{H}_2^2 + \mathcal{H}_1^3 \mathcal{H}_2^3 + \mathcal{H}_1^4 \mathcal{H}_2^4 + \dots)$$

$$\frac{Y}{X} = \mathcal{H}_1 \left( \frac{1}{1 - \mathcal{H}_1 \mathcal{H}_2} \right) = \frac{\mathcal{H}_1}{1 - \mathcal{H}_1 \mathcal{H}_2}$$

# Black's Formula: Derivations

---

Derivation: Iterative Signal Solving






# Black's Formula: Derivations

---


Derivation: Iterative Signal Solving



# Black's Formula: Derivations

---


Derivation: Iterative Signal Solving



# Black's Formula: Derivations

---


Derivation: Iterative Signal Solving



# Black's Formula: Derivations

---

Derivation: Iterative Signal Solving




$$Y = \mathcal{H}_1(X + \mathcal{H}_2 Y)$$

# Black's Formula: Derivations

---

Derivation: Iterative Signal Solving





$$Y = \mathcal{H}_1(X + \mathcal{H}_2 Y)$$

$$\frac{Y}{X} = \frac{\mathcal{H}_1}{1 - \mathcal{H}_1 \mathcal{H}_2}$$

# Check Yourself!

---



Are the following systems *equivalent*?



# Check Yourself!

---

Are the following systems *equivalent*?




Yes!

# Feedback and Cyclic Signal Flow Paths

---

Consider the following system:




$$\frac{Y}{X} = \frac{1}{1 - p_0 \mathcal{R}}$$



# Feedback and Cyclic Signal Flow Paths

---

Consider the following system:




$$\frac{Y}{X} = \frac{1}{1 - p_0 \mathcal{R}} = 1$$

# Feedback and Cyclic Signal Flow Paths

---

Consider the following system:




$$\frac{Y}{X} = \frac{1}{1 - p_0 \mathcal{R}} = 1 + p_0 \mathcal{R}$$

# Feedback and Cyclic Signal Flow Paths

---

Consider the following system:




$$\frac{Y}{X} = \frac{1}{1 - p_0\mathcal{R}} = 1 + p_0\mathcal{R} + p_0^2\mathcal{R}^2$$

# Feedback and Cyclic Signal Flow Paths

---

Consider the following system:




$$\frac{Y}{X} = \frac{1}{1 - p_0 \mathcal{R}} = 1 + p_0 \mathcal{R} + p_0^2 \mathcal{R}^2 + p_0^3 \mathcal{R}^3$$

# Feedback and Cyclic Signal Flow Paths

---

Consider the following system:




$$\frac{Y}{X} = \frac{1}{1 - p_0 \mathcal{R}} = 1 + p_0 \mathcal{R} + p_0^2 \mathcal{R}^2 + p_0^3 \mathcal{R}^3 + p_0^4 \mathcal{R}^4$$

# Feedback and Cyclic Signal Flow Paths

---


Consider the following system:



$$\frac{Y}{X} = \frac{1}{1 - p_0 \mathcal{R}} = 1 + p_0 \mathcal{R} + p_0^2 \mathcal{R}^2 + p_0^3 \mathcal{R}^3 + p_0^4 \mathcal{R}^4 + \dots$$

# Feedback and Cyclic Signal Flow Paths


Consider the following system:



$$\frac{Y}{X} = \frac{1}{1 - p_0 \mathcal{R}} = 1 + p_0 \mathcal{R} + p_0^2 \mathcal{R}^2 + p_0^3 \mathcal{R}^3 + p_0^4 \mathcal{R}^4 + \dots$$

Characterize persistent responses (*modes*) to transient (e.g. unit sample) inputs with **poles**.

$$y[n] = p_0^n; n \geq 0$$



## Finding Poles – Review

---

Poles can be identified by factoring the denominator of the system functional:

$$\frac{Y}{X} = \frac{b_0 + b_1\mathcal{R} + b_2\mathcal{R}^2 + \dots}{1 + a_1\mathcal{R} + a_2\mathcal{R}^2 + \dots}$$

$$\frac{Y}{X} = \frac{b_0 + b_1\mathcal{R} + b_2\mathcal{R}^2 + \dots}{(1 - p_0\mathcal{R})(1 - p_1\mathcal{R})(1 - p_2\mathcal{R}) \dots}$$

The  $p_i$  values are the *poles*, and one geometric mode  $p_i^n$  arises from each pole.



## Finding Poles – Review

---

$$\frac{Y}{X} = \frac{b_0 + b_1\mathcal{R} + b_2\mathcal{R}^2 + \dots}{(1 - p_0\mathcal{R})(1 - p_1\mathcal{R})(1 - p_2\mathcal{R}) \dots}$$

Partial fraction expansion:

$$\frac{Y}{X} = \frac{c_0}{1 - p_0\mathcal{R}} + \frac{c_1}{1 - p_1\mathcal{R}} + \frac{c_2}{1 - p_2\mathcal{R}} + \dots + f_0 + f_1\mathcal{R} + f_2\mathcal{R}^2 + \dots$$

## Finding Poles – Review

---

$$\frac{Y}{X} = \frac{b_0 + b_1\mathcal{R} + b_2\mathcal{R}^2 + \dots}{(1 - p_0\mathcal{R})(1 - p_1\mathcal{R})(1 - p_2\mathcal{R}) \dots}$$

Partial fraction expansion:



$$\frac{Y}{X} = \frac{c_0}{1 - p_0\mathcal{R}} + \frac{c_1}{1 - p_1\mathcal{R}} + \frac{c_2}{1 - p_2\mathcal{R}} + \dots + f_0 + f_1\mathcal{R} + f_2\mathcal{R}^2 + \dots$$

If the system functional is a *proper* rational polynomial, then the unit sample response is:

$$y[n] = c_0p_0^n + c_1p_1^n + c_2p_2^n + \dots$$

# Check Yourself!

What are the poles of the following systems?



## Long-term Behavior: Dominant Pole – Review

---

When analyzing systems' poles, we are interested in **long-term** behavior (not specific samples).

As  $n \rightarrow \infty$ , how does  $y[n]$  behave?


We have seen that a system's unit sample response can be written in the form:

$$y[n] = \sum_k c_k p_k^n$$

In the “large- $n$ ” case, all poles but the one with the largest magnitude die away, and so looking at the dominant pole alone tells us about the behavior of the system in that case.

# Check Yourself!

Consider the following system:




Answer the following questions:

1. How many poles does this system have?
2. Will changing  $k_1$  affect the system's poles?
3. Will changing  $k_2$  affect the system's poles?
4. Will changing  $k_1$  affect the system's unit sample response?
5. Will changing  $k_2$  affect the system's unit sample response?

# Check Yourself!

Consider the following system:




Answer the following questions:

1. How many poles does this system have? **2**
2. Will changing  $k_1$  affect the system's poles?
3. Will changing  $k_2$  affect the system's poles?
4. Will changing  $k_1$  affect the system's unit sample response?
5. Will changing  $k_2$  affect the system's unit sample response?

# Check Yourself!

Consider the following system:




Answer the following questions:

1. How many poles does this system have?
2. Will changing  $k_1$  affect the system's poles? **No**
3. Will changing  $k_2$  affect the system's poles?
4. Will changing  $k_1$  affect the system's unit sample response?
5. Will changing  $k_2$  affect the system's unit sample response?

# Check Yourself!

Consider the following system:




Answer the following questions:

1. How many poles does this system have?
2. Will changing  $k_1$  affect the system's poles?
3. Will changing  $k_2$  affect the system's poles? **Yes**
4. Will changing  $k_1$  affect the system's unit sample response?
5. Will changing  $k_2$  affect the system's unit sample response?



# Check Yourself!

Consider the following system:




Answer the following questions:

1. How many poles does this system have?
2. Will changing  $k_1$  affect the system's poles?
3. Will changing  $k_2$  affect the system's poles?
4. Will changing  $k_1$  affect the system's unit sample response? **Yes**
5. Will changing  $k_2$  affect the system's unit sample response?

# Check Yourself!

Consider the following system:



Answer the following questions:

1. How many poles does this system have?
2. Will changing  $k_1$  affect the system's poles?
3. Will changing  $k_2$  affect the system's poles?
4. Will changing  $k_1$  affect the system's unit sample response?
5. Will changing  $k_2$  affect the system's unit sample response? **Yes**

## Complex Poles – Review

---

What if a pole has a non-zero imaginary part?

Example:

$$\frac{Y}{X} = \frac{1}{1 - \mathcal{R} + \mathcal{R}^2}$$

Poles at  $z = \frac{1}{2} \pm \frac{\sqrt{3}}{2}j$ .

Unit sample response still goes like poles raised to the power  $n$ !

Need to understand what happens when complex numbers are raised to integer powers.

## Complex Poles – Review

---

Easiest to understand when poles are represented in *polar form*:

A number  $p_0 = a_0 + b_0j$  can be represented by a magnitude and an angle in the complex plane:

$$a_0 + b_0j = r(\cos(\theta) + j \sin(\theta))$$

where  $r = \sqrt{a_0^2 + b_0^2}$  and  $\theta = \tan^{-1}(b_0, a_0)$

By Euler's formula:

$$a_0 + b_0j = re^{j\theta}$$

## Complex Poles – Review

---

Easiest to understand when poles are represented in *polar form*:

A number  $p_0 = a_0 + b_0j$  can be represented by a magnitude and an angle in the complex plane:

$$a_0 + b_0j = r(\cos(\theta) + j \sin(\theta))$$

where  $r = \sqrt{a_0^2 + b_0^2}$  and  $\theta = \tan^{-1}(b_0, a_0)$

By Euler's formula:


$$a_0 + b_0j = re^{j\theta}$$

Furthermore, we can express  $(re^{j\theta})^n$  as  $r^n e^{jn\theta}$ . This is a complex number with magnitude  $r^n$  and angle  $n\theta$ . (Thus each new power multiplies previous magnitude by  $r$  and adds to previous angle by  $\theta$ .)

$$p_0 = 0.98e^{0.2j}$$

---


$$y[0] = (0.98)^0 \cdot e^{0 \cdot 0.20j} \approx (1.000000) + (0.000000)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[1] = (0.98)^1 \cdot e^{1 \cdot 0.20j} \approx (0.960465) + (0.194696)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[2] = (0.98)^2 \cdot e^{2 \cdot 0.20j} \approx (0.884587) + (0.373997)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[3] = (0.98)^3 \cdot e^{3 \cdot 0.20j} \approx (0.776799) + (0.531437)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[4] = (0.98)^4 \cdot e^{4 \cdot 0.2j} \approx (0.642620) + (0.661666)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[5] = (0.98)^5 \cdot e^{5 \cdot 0.2j} \approx (0.488390) + (0.760623)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[6] = (0.98)^6 \cdot e^{6 \cdot 0.2j} \approx (0.320992) + (0.825640)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[7] = (0.98)^7 \cdot e^{7 \cdot 0.2j} \approx (0.147553) + (0.855494)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[8] = (0.98)^8 \cdot e^{8 \cdot 0.20j} \approx (-0.024842) + (0.850400)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[9] = (0.98)^9 \cdot e^{9 \cdot 0.20j} \approx (-0.189429) + (0.811943)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[10] = (0.98)^{10} \cdot e^{10 \cdot 0.20j} \approx (-0.340022) + (0.742962)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[11] = (0.98)^{11} \cdot e^{11 \cdot 0.20j} \approx (-0.471231) + (0.647388)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[12] = (0.98)^{12} \cdot e^{12 \cdot 0.2j} \approx (-0.578645) + (0.530047)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[13] = (0.98)^{13} \cdot e^{13 \cdot 0.20j} \approx (-0.658967) + (0.396432)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[14] = (0.98)^{14} \cdot e^{14 \cdot 0.20j} \approx (-0.710098) + (0.252461)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[15] = (0.98)^{15} \cdot e^{15 \cdot 0.20j} \approx (-0.731178) + (0.104227)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[16] = (0.98)^{16} \cdot e^{16 \cdot 0.20j} \approx (-0.722563) + (-0.042251)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[17] = (0.98)^{17} \cdot e^{17 \cdot 0.20j} \approx (-0.685771) + (-0.181261)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[18] = (0.98)^{18} \cdot e^{18 \cdot 0.2j} \approx (-0.623368) + (-0.307612)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[19] = (0.98)^{19} \cdot e^{19 \cdot 0.20j} \approx (-0.538833) + (-0.416818)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[20] = (0.98)^{20} \cdot e^{20 \cdot 0.2j} \approx (-0.436378) + (-0.505247)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[21] = (0.98)^{21} \cdot e^{21 \cdot 0.20j} \approx (-0.320756) + (-0.570234)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[22] = (0.98)^{22} \cdot e^{22 \cdot 0.20j} \approx (-0.197053) + (-0.610139)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[23] = (0.98)^{23} \cdot e^{23 \cdot 0.20j} \approx (-0.070471) + (-0.624383)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[24] = (0.98)^{24} \cdot e^{24 \cdot 0.20j} \approx (0.053880) + (-0.613419)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[25] = (0.98)^{25} \cdot e^{25 \cdot 0.20j} \approx (0.171180) + (-0.578677)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[26] = (0.98)^{26} \cdot e^{26 \cdot 0.20j} \approx (0.277079) + (-0.522471)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[27] = (0.98)^{27} \cdot e^{27 \cdot 0.20j} \approx (0.367847) + (-0.447869)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[28] = (0.98)^{28} \cdot e^{28 \cdot 0.20j} \approx (0.440503) + (-0.358544)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[29] = (0.98)^{29} \cdot e^{29 \cdot 0.20j} \approx (0.492895) + (-0.258605)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[30] = (0.98)^{30} \cdot e^{30 \cdot 0.20j} \approx (0.523758) + (-0.152417)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[31] = (0.98)^{31} \cdot e^{31 \cdot 0.20j} \approx (0.532726) + (-0.044417)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[32] = (0.98)^{32} \cdot e^{32 \cdot 0.20j} \approx (0.520313) + (0.061058)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[33] = (0.98)^{33} \cdot e^{33 \cdot 0.20j} \approx (0.487855) + (0.159947)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[34] = (0.98)^{34} \cdot e^{34 \cdot 0.20j} \approx (0.437426) + (0.248607)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[35] = (0.98)^{35} \cdot e^{35 \cdot 0.20j} \approx (0.371730) + (0.323943)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[36] = (0.98)^{36} \cdot e^{36 \cdot 0.20j} \approx (0.293963) + (0.383511)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[37] = (0.98)^{37} \cdot e^{37 \cdot 0.20j} \approx (0.207674) + (0.425582)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[38] = (0.98)^{38} \cdot e^{38 \cdot 0.20j} \approx (0.116604) + (0.449190)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[39] = (0.98)^{39} \cdot e^{39 \cdot 0.20j} \approx (0.024539) + (0.454134)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[40] = (0.98)^{40} \cdot e^{40 \cdot 0.20j} \approx (-0.064849) + (0.440957)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[41] = (0.98)^{41} \cdot e^{41 \cdot 0.20j} \approx (-0.148138) + (0.410898)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[42] = (0.98)^{42} \cdot e^{42 \cdot 0.20j} \approx (-0.222282) + (0.365812)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[43] = (0.98)^{43} \cdot e^{43 \cdot 0.20j} \approx (-0.284716) + (0.308072)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[44] = (0.98)^{44} \cdot e^{44 \cdot 0.20j} \approx (-0.333440) + (0.240459)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[45] = (0.98)^{45} \cdot e^{45 \cdot 0.20j} \approx (-0.367074) + (0.166033)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[46] = (0.98)^{46} \cdot e^{46 \cdot 0.20j} \approx (-0.384888) + (0.088001)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[47] = (0.98)^{47} \cdot e^{47 \cdot 0.20j} \approx (-0.386805) + (0.009586)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[48] = (0.98)^{48} \cdot e^{48 \cdot 0.20j} \approx (-0.373379) + (-0.066102)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[49] = (0.98)^{49} \cdot e^{49 \cdot 0.20j} \approx (-0.345748) + (-0.136184)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[50] = (0.98)^{50} \cdot e^{50 \cdot 0.2j} \approx (-0.305564) + (-0.198116)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[51] = (0.98)^{51} \cdot e^{51 \cdot 0.20j} \approx (-0.254912) + (-0.249776)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[52] = (0.98)^{52} \cdot e^{52 \cdot 0.20j} \approx (-0.196203) + (-0.289531)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[53] = (0.98)^{53} \cdot e^{53 \cdot 0.20j} \approx (-0.132076) + (-0.316285)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[54] = (0.98)^{54} \cdot e^{54 \cdot 0.20j} \approx (-0.065275) + (-0.329495)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[55] = (0.98)^{55} \cdot e^{55 \cdot 0.20j} \approx (0.001457) + (-0.329177)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[56] = (0.98)^{56} \cdot e^{56 \cdot 0.20j} \approx (0.065489) + (-0.315880)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[57] = (0.98)^{57} \cdot e^{57 \cdot 0.20j} \approx (0.124400) + (-0.290641)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[58] = (0.98)^{58} \cdot e^{58 \cdot 0.20j} \approx (0.176069) + (-0.254930)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[59] = (0.98)^{59} \cdot e^{59 \cdot 0.20j} \approx (0.218742) + (-0.210572)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[60] = (0.98)^{60} \cdot e^{60 \cdot 0.20j} \approx (0.251091) + (-0.159659)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[61] = (0.98)^{61} \cdot e^{61 \cdot 0.20j} \approx (0.272250) + (-0.104460)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[62] = (0.98)^{62} \cdot e^{62 \cdot 0.20j} \approx (0.281824) + (-0.047325)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[63] = (0.98)^{63} \cdot e^{63 \cdot 0.20j} \approx (0.279896) + (0.009416)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[64] = (0.98)^{64} \cdot e^{64 \cdot 0.20j} \approx (0.266997) + (0.063539)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[65] = (0.98)^{65} \cdot e^{65 \cdot 0.20j} \approx (0.244071) + (0.113010)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[66] = (0.98)^{66} \cdot e^{66 \cdot 0.20j} \approx (0.212419) + (0.156062)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[67] = (0.98)^{67} \cdot e^{67 \cdot 0.20j} \approx (0.173637) + (0.191249)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[68] = (0.98)^{68} \cdot e^{68 \cdot 0.20j} \approx (0.129536) + (0.217494)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[69] = (0.98)^{69} \cdot e^{69 \cdot 0.20j} \approx (0.082070) + (0.234116)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[70] = (0.98)^{70} \cdot e^{70 \cdot 0.20j} \approx (0.033244) + (0.240839)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[71] = (0.98)^{71} \cdot e^{71 \cdot 0.20j} \approx (-0.014961) + (0.237790)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[72] = (0.98)^{72} \cdot e^{72 \cdot 0.20j} \approx (-0.060666) + (0.225476)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[73] = (0.98)^{73} \cdot e^{73 \cdot 0.20j} \approx (-0.102167) + (0.204751)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[74] = (0.98)^{74} \cdot e^{74 \cdot 0.20j} \approx (-0.137992) + (0.176764)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[75] = (0.98)^{75} \cdot e^{75 \cdot 0.20j} \approx (-0.166952) + (0.142910)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[76] = (0.98)^{76} \cdot e^{76 \cdot 0.20j} \approx (-0.188175) + (0.104755)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[77] = (0.98)^{77} \cdot e^{77 \cdot 0.20j} \approx (-0.201131) + (0.063976)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[78] = (0.98)^{78} \cdot e^{78 \cdot 0.20j} \approx (-0.205635) + (0.022288)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[79] = (0.98)^{79} \cdot e^{79 \cdot 0.20j} \approx (-0.201845) + (-0.018630)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[80] = (0.98)^{80} \cdot e^{80 \cdot 0.20j} \approx (-0.190238) + (-0.057192)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[81] = (0.98)^{81} \cdot e^{81 \cdot 0.20j} \approx (-0.171582) + (-0.091969)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[82] = (0.98)^{82} \cdot e^{82 \cdot 0.20j} \approx (-0.146892) + (-0.121739)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[83] = (0.98)^{83} \cdot e^{83 \cdot 0.20j} \approx (-0.117383) + (-0.145526)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[84] = (0.98)^{84} \cdot e^{84 \cdot 0.20j} \approx (-0.084409) + (-0.162627)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[85] = (0.98)^{85} \cdot e^{85 \cdot 0.20j} \approx (-0.049409) + (-0.172631)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[86] = (0.98)^{86} \cdot e^{86 \cdot 0.20j} \approx (-0.013845) + (-0.175426)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[87] = (0.98)^{87} \cdot e^{87 \cdot 0.20j} \approx (0.020857) + (-0.171186)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[88] = (0.98)^{88} \cdot e^{88 \cdot 0.20j} \approx (0.053362) + (-0.160358)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[89] = (0.98)^{89} \cdot e^{89 \cdot 0.20j} \approx (0.082473) + (-0.143629)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[90] = (0.98)^{90} \cdot e^{90 \cdot 0.20j} \approx (0.107176) + (-0.121893)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[91] = (0.98)^{91} \cdot e^{91 \cdot 0.20j} \approx (0.126671) + (-0.096207)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[92] = (0.98)^{92} \cdot e^{92 \cdot 0.20j} \approx (0.140395) + (-0.067741)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[93] = (0.98)^{93} \cdot e^{93 \cdot 0.20j} \approx (0.148033) + (-0.037729)j$$



$$p_0 = 0.98e^{0.2j}$$

---


$$y[94] = (0.98)^{94} \cdot e^{94 \cdot 0.20j} \approx (0.149526) + (-0.007416)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[95] = (0.98)^{95} \cdot e^{95 \cdot 0.20j} \approx (0.145059) + (0.021989)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[97] = (0.98)^{97} \cdot e^{97 \cdot 0.20j} \approx (0.120093) + (0.073703)j$$



$$p_0 = 0.98e^{0.2j}$$

---

$$y[98] = (0.98)^{98} \cdot e^{98 \cdot 0.20j} \approx (0.100996) + (0.094171)j$$






$$p_0 = 0.98e^{0.2j}$$

---


$$y[99] = (0.98)^{99} \cdot e^{99 \cdot 0.20j} \approx (0.078668) + (0.110111)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[0] = (1.01)^0 \cdot e^{0 \cdot 0.20j} \approx (1.000000) + (0.000000)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[1] = (1.01)^1 \cdot e^{1 \cdot 0.20j} \approx (0.989867) + (0.200656)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[2] = (1.01)^2 \cdot e^{2 \cdot 0.20j} \approx (0.939574) + (0.397246)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[3] = (1.01)^3 \cdot e^{3 \cdot 0.20j} \approx (0.850344) + (0.581752)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[4] = (1.01)^4 \cdot e^{4 \cdot 0.2j} \approx (0.724996) + (0.746484)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[5] = (1.01)^5 \cdot e^{5 \cdot 0.2j} \approx (0.567863) + (0.884394)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[6] = (1.01)^6 \cdot e^{6 \cdot 0.20j} \approx (0.384650) + (0.989378)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[7] = (1.01)^7 \cdot e^{7 \cdot 0.20j} \approx (0.182228) + (1.056535)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[8] = (1.01)^8 \cdot e^{8 \cdot 0.20j} \approx (-0.031619) + (1.082395)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[9] = (1.01)^9 \cdot e^{9 \cdot 0.20j} \approx (-0.248488) + (1.065083)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[10] = (1.01)^{10} \cdot e^{10 \cdot 0.20j} \approx (-0.459685) + (1.004430)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[11] = (1.01)^{11} \cdot e^{11 \cdot 0.20j} \approx (-0.656572) + (0.902014)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[12] = (1.01)^{12} \cdot e^{12 \cdot 0.20j} \approx (-0.830914) + (0.761129)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[13] = (1.01)^{13} \cdot e^{13 \cdot 0.20j} \approx (-0.975219) + (0.586689)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[14] = (1.01)^{14} \cdot e^{14 \cdot 0.20j} \approx (-1.083060) + (0.385060)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[15] = (1.01)^{15} \cdot e^{15 \cdot 0.2j} \approx (-1.149351) + (0.163836)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[16] = (1.01)^{16} \cdot e^{16 \cdot 0.20j} \approx (-1.170579) + (-0.068448)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[17] = (1.01)^{17} \cdot e^{17 \cdot 0.2j} \approx (-1.144983) + (-0.302638)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[18] = (1.01)^{18} \cdot e^{18 \cdot 0.2j} \approx (-1.072655) + (-0.529320)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[19] = (1.01)^{19} \cdot e^{19 \cdot 0.2j} \approx (-0.955575) + (-0.739191)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[20] = (1.01)^{20} \cdot e^{20 \cdot 0.2j} \approx (-0.797569) + (-0.923443)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[21] = (1.01)^{21} \cdot e^{21 \cdot 0.20j} \approx (-0.604193) + (-1.074123)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[22] = (1.01)^{22} \cdot e^{22 \cdot 0.20j} \approx (-0.382542) + (-1.184474)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[23] = (1.01)^{23} \cdot e^{23 \cdot 0.20j} \approx (-0.140994) + (-1.249232)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[24] = (1.01)^{24} \cdot e^{24 \cdot 0.20j} \approx (0.111100) + (-1.264865)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[25] = (1.01)^{25} \cdot e^{25 \cdot 0.2j} \approx (0.363777) + (-1.229755)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[26] = (1.01)^{26} \cdot e^{26 \cdot 0.2j} \approx (0.606849) + (-1.144300)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[27] = (1.01)^{27} \cdot e^{27 \cdot 0.2j} \approx (0.830311) + (-1.010937)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[28] = (1.01)^{28} \cdot e^{28 \cdot 0.2j} \approx (1.024748) + (-0.834087)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[29] = (1.01)^{29} \cdot e^{29 \cdot 0.20j} \approx (1.181729) + (-0.620013)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[30] = (1.01)^{30} \cdot e^{30 \cdot 0.20j} \approx (1.294164) + (-0.376610)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[31] = (1.01)^{31} \cdot e^{31 \cdot 0.2j} \approx (1.356620) + (-0.113112)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[32] = (1.01)^{32} \cdot e^{32 \cdot 0.20j} \approx (1.365570) + (0.160248)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[33] = (1.01)^{33} \cdot e^{33 \cdot 0.20j} \approx (1.319579) + (0.432634)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[34] = (1.01)^{34} \cdot e^{34 \cdot 0.20j} \approx (1.219397) + (0.693032)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[35] = (1.01)^{35} \cdot e^{35 \cdot 0.2j} \approx (1.067980) + (0.930689)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[36] = (1.01)^{36} \cdot e^{36 \cdot 0.2j} \approx (0.870410) + (1.135555)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[37] = (1.01)^{37} \cdot e^{37 \cdot 0.20j} \approx (0.633734) + (1.298702)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[38] = (1.01)^{38} \cdot e^{38 \cdot 0.2j} \approx (0.366721) + (1.412705)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[39] = (1.01)^{39} \cdot e^{39 \cdot 0.20j} \approx (0.079537) + (1.471975)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[40] = (1.01)^{40} \cdot e^{40 \cdot 0.20j} \approx (-0.216630) + (1.473020)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[41] = (1.01)^{41} \cdot e^{41 \cdot 0.2j} \approx (-0.510005) + (1.414626)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[42] = (1.01)^{42} \cdot e^{42 \cdot 0.20j} \approx (-0.788690) + (1.297956)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[43] = (1.01)^{43} \cdot e^{43 \cdot 0.20j} \approx (-1.041141) + (1.126549)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[44] = (1.01)^{44} \cdot e^{44 \cdot 0.20j} \approx (-1.256641) + (0.906222)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[45] = (1.01)^{45} \cdot e^{45 \cdot 0.2j} \approx (-1.425746) + (0.644887)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[46] = (1.01)^{46} \cdot e^{46 \cdot 0.2j} \approx (-1.540700) + (0.352268)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[47] = (1.01)^{47} \cdot e^{47 \cdot 0.20j} \approx (-1.595773) + (0.039548)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[48] = (1.01)^{48} \cdot e^{48 \cdot 0.2j} \approx (-1.587539) + (-0.281054)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[49] = (1.01)^{49} \cdot e^{49 \cdot 0.20j} \approx (-1.515058) + (-0.596756)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[50] = (1.01)^{50} \cdot e^{50 \cdot 0.2j} \approx (-1.379964) + (-0.894714)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[51] = (1.01)^{51} \cdot e^{51 \cdot 0.20j} \approx (-1.186451) + (-1.162547)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[52] = (1.01)^{52} \cdot e^{52 \cdot 0.20j} \approx (-0.941157) + (-1.388835)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[53] = (1.01)^{53} \cdot e^{53 \cdot 0.2j} \approx (-0.652942) + (-1.563611)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[54] = (1.01)^{54} \cdot e^{54 \cdot 0.20j} \approx (-0.332578) + (-1.678785)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[55] = (1.01)^{55} \cdot e^{55 \cdot 0.2j} \approx (0.007650) + (-1.728508)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[56] = (1.01)^{56} \cdot e^{56 \cdot 0.2j} \approx (0.354408) + (-1.709458)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[57] = (1.01)^{57} \cdot e^{57 \cdot 0.2j} \approx (0.693830) + (-1.621022)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[58] = (1.01)^{58} \cdot e^{58 \cdot 0.2j} \approx (1.012067) + (-1.465376)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[59] = (1.01)^{59} \cdot e^{59 \cdot 0.2j} \approx (1.295849) + (-1.247450)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[60] = (1.01)^{60} \cdot e^{60 \cdot 0.20j} \approx (1.533027) + (-0.974790)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[61] = (1.01)^{61} \cdot e^{61 \cdot 0.20j} \approx (1.713090) + (-0.657302)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[62] = (1.01)^{62} \cdot e^{62 \cdot 0.20j} \approx (1.827624) + (-0.306900)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[63] = (1.01)^{63} \cdot e^{63 \cdot 0.20j} \approx (1.870686) + (0.062934)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[64] = (1.01)^{64} \cdot e^{64 \cdot 0.20j} \approx (1.839103) + (0.437660)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[65] = (1.01)^{65} \cdot e^{65 \cdot 0.20j} \approx (1.732648) + (0.802253)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[66] = (1.01)^{66} \cdot e^{66 \cdot 0.20j} \approx (1.554115) + (1.141790)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[67] = (1.01)^{67} \cdot e^{67 \cdot 0.20j} \approx (1.309261) + (1.442063)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[68] = (1.01)^{68} \cdot e^{68 \cdot 0.20j} \approx (1.006635) + (1.690162)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[69] = (1.01)^{69} \cdot e^{69 \cdot 0.20j} \approx (0.657294) + (1.875024)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[70] = (1.01)^{70} \cdot e^{70 \cdot 0.20j} \approx (0.274399) + (1.987915)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[71] = (1.01)^{71} \cdot e^{71 \cdot 0.20j} \approx (-0.127268) + (2.022831)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[72] = (1.01)^{72} \cdot e^{72 \cdot 0.20j} \approx (-0.531872) + (1.976797)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[73] = (1.01)^{73} \cdot e^{73 \cdot 0.20j} \approx (-0.923139) + (1.850044)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[74] = (1.01)^{74} \cdot e^{74 \cdot 0.20j} \approx (-1.285007) + (1.646064)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[75] = (1.01)^{75} \cdot e^{75 \cdot 0.20j} \approx (-1.602279) + (1.371541)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[76] = (1.01)^{76} \cdot e^{76 \cdot 0.20j} \approx (-1.861252) + (1.036136)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[77] = (1.01)^{77} \cdot e^{77 \cdot 0.2j} \approx (-2.050299) + (0.652166)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[78] = (1.01)^{78} \cdot e^{78 \cdot 0.20j} \approx (-2.160385) + (0.234153)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[79] = (1.01)^{79} \cdot e^{79 \cdot 0.20j} \approx (-2.185478) + (-0.201714)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[80] = (1.01)^{80} \cdot e^{80 \cdot 0.20j} \approx (-2.122858) + (-0.638200)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[81] = (1.01)^{81} \cdot e^{81 \cdot 0.20j} \approx (-1.973289) + (-1.057697)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[82] = (1.01)^{82} \cdot e^{82 \cdot 0.20j} \approx (-1.741061) + (-1.442932)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[83] = (1.01)^{83} \cdot e^{83 \cdot 0.20j} \approx (-1.433886) + (-1.777666)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[84] = (1.01)^{84} \cdot e^{84 \cdot 0.20j} \approx (-1.062658) + (-2.047371)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[85] = (1.01)^{85} \cdot e^{85 \cdot 0.20j} \approx (-0.641073) + (-2.239854)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[86] = (1.01)^{86} \cdot e^{86 \cdot 0.20j} \approx (-0.185137) + (-2.345793)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[87] = (1.01)^{87} \cdot e^{87 \cdot 0.20j} \approx (0.287437) + (-2.359173)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[88] = (1.01)^{88} \cdot e^{88 \cdot 0.20j} \approx (0.757907) + (-2.277592)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[89] = (1.01)^{89} \cdot e^{89 \cdot 0.20j} \approx (1.207239) + (-2.102435)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[90] = (1.01)^{90} \cdot e^{90 \cdot 0.20j} \approx (1.616873) + (-1.838892)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[91] = (1.01)^{91} \cdot e^{91 \cdot 0.20j} \approx (1.969474) + (-1.495824)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[92] = (1.01)^{92} \cdot e^{92 \cdot 0.20j} \approx (2.249664) + (-1.085480)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[93] = (1.01)^{93} \cdot e^{93 \cdot 0.20j} \approx (2.444677) + (-0.623072)j$$



$$p_0 = 1.01e^{0.2j}$$

---

$$y[94] = (1.01)^{94} \cdot e^{94 \cdot 0.20j} \approx (2.544929) + (-0.126220)j$$






$$p_0 = 1.01e^{0.2j}$$

---


$$y[95] = (1.01)^{95} \cdot e^{95 \cdot 0.20j} \approx (2.544468) + (0.385715)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[96] = (1.01)^{96} \cdot e^{96 \cdot 0.20j} \approx (2.441290) + (0.892369)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[97] = (1.01)^{97} \cdot e^{97 \cdot 0.20j} \approx (2.237494) + (1.373187)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[98] = (1.01)^{98} \cdot e^{98 \cdot 0.2j} \approx (1.939284) + (1.808239)j$$



$$p_0 = 1.01e^{0.2j}$$

---


$$y[99] = (1.01)^{99} \cdot e^{99 \cdot 0.20j} \approx (1.556799) + (2.179046)j$$



# Check Yourself!

---

Output of a system with poles at  $z = re^{\pm j\omega}$




Which statement is true?

1.  $r < 0.5$  and  $\omega \approx 0.5$
2.  $0.5 < r < 1$  and  $\omega \approx 0.5$
3.  $r < 0.5$  and  $\omega \approx 0.08$
4.  $0.5 < r < 1$  and  $\omega \approx 0.08$
5. None of the above

# Check Yourself!

---

Output of a system with poles at  $z = re^{\pm j\omega}$



Which statement is true?

1.  $r < 0.5$  and  $\omega \approx 0.5$
2.  $0.5 < r < 1$  and  $\omega \approx 0.5$
3.  $r < 0.5$  and  $\omega \approx 0.08$
4.  $0.5 < r < 1$  and  $\omega \approx 0.08$
5. None of the above

## Summary: Pole Behaviors – Review

---

Unit sample response of most systems can be reduced to the form:

$$y[n] = \sum_i c_i p_i^n$$

In the long term, the response of the pole with the largest magnitude dominates the overall response.

Can figure out properties of the response by thinking about geometric sequences!





# Designing a Control System

---

Today's goal: optimizing the design of a control system


# Example: Wall Finder

Consider a variant of the wall finder from week 2:



# Example: Wall Finder



Consider a variant of the wall finder from week 2:



$$D_i - D_o = \text{distance difference}$$

# Example: Wall Finder

Consider a variant of the wall finder from week 2:





$D_i - D_o = \text{distance difference}$

$k(D_i - D_o) = \text{velocity}$

# Example: Wall Finder

Consider a variant of the wall finder from week 2:




$D_i - D_o = \text{distance difference}$

$k(D_i - D_o) = \text{velocity}$

$\Delta D = -kT(D_i - D_o) = \text{change in distance in time } T$

# Example: Wall Finder

Consider a variant of the wall finder from week 2:



$D_i - D_o = \text{distance difference}$






$k(D_i - D_o) = \text{velocity}$

$\Delta D = -kT(D_i - D_o) = \text{change in distance in time } T$

Feedback loop updates position  $D_o + \Delta D$






# Example: Wall Finder

Using feedback to control position (DL02) can lead to bad behaviors:



# Example: Wall Finder

Using feedback to control position (DL02) can lead to bad behaviors:




What causes these different types of responses?  
Is there a systematic way to optimize the gain  $k$ ?



# Design

---




The most useful tools are those that help us not only analyze systems, but also *design* systems

# Example: Wall Finder

---

The difference equations provide a concise description of behavior:



proportional controller:  $v[n] = ke[n] = k(d_i[n] - d_s[n])$


locomotion:  $d_o[n] = d_o[n - 1] - Tv[n - 1]$

sensor with no delay:  $d_s[n] = d_o[n]$

# Example: Wall Finder

---

The difference equations provide a concise description of behavior:



proportional controller:  $v[n] = ke[n] = k(d_i[n] - d_s[n])$

locomotion:  $d_o[n] = d_o[n - 1] - Tv[n - 1]$

sensor with no delay:  $d_s[n] = d_o[n]$


$$d_o[n] = d_o[n - 1] - Tk(d_i[n - 1] - d_o[n - 1])$$

However, it provides little insight into how to choose  $k$ .

# Example: Wall Finder

---


A block diagram reveals two feedback paths:




proportional controller:  $v[n] = ke[n] = k(d_i[n] - d_s[n])$   
locomotion:  $d_o[n] = d_o[n - 1] - Tv[n - 1]$   
sensor with no delay:  $d_s[n] = d_o[n]$

# Example: Wall Finder

A block diagram reveals two feedback paths:




proportional controller:  $v[n] = ke[n] = k(d_i[n] - d_s[n])$   
locomotion:  $d_o[n] = d_o[n - 1] - Tv[n - 1]$   
sensor with no delay:  $d_s[n] = d_o[n]$



However, it provides little insight into how to choose  $k$ .

# Check Yourself!

---




To construct this system using our simulation framework, how many instances of `Cascade` and `FeedbackAdd/FeedbackSubtract` are needed?

1. 1 Cascade, 1 Feedback
2. 2 Cascade, 1 Feedback
3. 1 Cascade, 2 Feedback
4. 2 Cascade, 2 Feedback
5. None of the above

# Check Yourself!

---




To construct this system using our simulation framework, how many instances of `Cascade` and `FeedbackAdd/FeedbackSubtract` are needed?

1. 1 Cascade, 1 Feedback
2. 2 Cascade, 1 Feedback
3. 1 Cascade, 2 Feedback
4. 2 Cascade, 2 Feedback
5. None of the above

# Example: Wall Finder

---



Simplify block diagram with  $\mathcal{R}$  operator and system functionals.








# Example: Wall Finder

Simplify block diagram with  $\mathcal{R}$  operator and system functionals.



# Example: Wall Finder

Simplify block diagram with  $\mathcal{R}$  operator and system functionals.




## Example: Wall Finder

---

This system contains a single pole at  $z = 1 + kT$ .

$$\frac{D_o}{D_i} = \frac{-kT\mathcal{R}}{1 - (1 + kT)\mathcal{R}}$$

The whole system is equivalent to the following:




where  $p_0 = 1 + kT$ .

## Example: Wall Finder

This system contains a single pole at  $z = 1 + kT$ .


$$\frac{D_o}{D_i} = \frac{-kT\mathcal{R}}{1 - (1 + kT)\mathcal{R}}$$

The whole system is equivalent to the following:




where  $p_0 = 1 + kT$ .


Unit sample response for  $kT = -0.2$  is:




# Example: Wall Finder




Unit sample response for  $kT = -0.2$  (thus  $p_0 = 1 + kT = 0.8$ ):



## Example: Wall Finder




Unit sample response for  $kT = -0.2$  (thus  $p_0 = 1 + kT = 0.8$ ):




$$d_o[n] = p_0 d_o[n-1] + (1-p_0) d_i[n-1]$$

## Example: Wall Finder




Unit sample response for  $kT = -0.2$  (thus  $p_0 = 1 + kT = 0.8$ ):




$$d_o[n] = p_0 d_o[n-1] + (1-p_0) d_i[n-1]$$

Response is delayed by 1 time step

## Example: Wall Finder



Unit sample response for  $kT = -0.2$  (thus  $p_0 = 1 + kT = 0.8$ ):




$$d_o[n] = p_0 d_o[n-1] + (1-p_0) d_i[n-1]$$

Response is delayed by 1 time step


Initial response is  $1 - p_0 = 0.2$



## Example: Wall Finder



Unit sample response for  $kT = -0.2$  (thus  $p_0 = 1 + kT = 0.8$ ):



$$d_o[n] = p_0 d_o[n-1] + (1-p_0) d_i[n-1]$$

Response is delayed by 1 time step


Initial response is  $1 - p_0 = 0.2$

Subsequent decay is by  $p_0 = 0.8$


## Example: Wall Finder

---

We are often interested in the *step response* of a control system.



Idea: start the output  $d_o[n]$  at zero while the input is held constant at 1.




# Step Response

---

We can think of the unit-step signal  $u[n]$  as an accumulation of a series of samples  $\delta[n]$


$$u[n] = \delta[n] + \delta[n - 1] + \delta[n - 2] + \dots$$



# Step Response


---

Unit step response  $s[n]$  is response of  $\mathcal{H}$  to the unit-step signal  $u[n]$ , which is constructed by accumulation of the unit sample signal  $\delta[n]$ .




# Step Response

Unit step response  $s[n]$  is response of  $\mathcal{H}$  to the unit-step signal  $u[n]$ , which is constructed by accumulation of the unit sample signal  $\delta[n]$ .




Commute and relabel signals:




# Step Response

Unit step response  $s[n]$  is response of  $\mathcal{H}$  to the unit-step signal  $u[n]$ , which is constructed by accumulation of the unit sample signal  $\delta[n]$ .



Commute and relabel signals:



The unit-step response  $s[n]$  is equal to the accumulated unit sample response  $h[n]$ :

$$s[n] = \sum_{i=-\infty}^n h[i]$$

## Example: Wall Finder


---

We can use this idea to see how our wall finder converges to a target distance:

- ▶ decide on a target distance  $d$
- ▶ then input to system would just be  $d \cdot u[n]$
- ▶ so just analyzing response of system to  $u[n]$  will provide insight into speed of convergence and behavior of convergence
- ▶ and we just saw that is simply the sum of the unit sample responses

## Example: Wall Finder

The step response of the `wallFinder` system with  $kT = -0.2$  is slow because the unit-sample response is slow (remember in this case that pole is at  $p_0 = 1 + kT$ , initial response is  $1 - p_0 = -kT$ , decay is  $p_0$ ):






# Example: Wall Finder

---

The step response is faster if  $kT = -0.8$ :



## Wall Finder: Poles

---


The poles of the system provide insight for choosing  $k$ !

$$\frac{D_o}{D_i} = \frac{-kT\mathcal{R}}{1 - (1 + kT)\mathcal{R}} = \frac{(1 - p_0)\mathcal{R}}{1 - p_0\mathcal{R}}; \quad p_0 = 1 + kT$$


# Wall Finder: Poles

The poles of the system provide insight for choosing  $k$ !


$$\frac{D_o}{D_i} = \frac{-kT\mathcal{R}}{1 - (1 + kT)\mathcal{R}} = \frac{(1 - p_0)\mathcal{R}}{1 - p_0\mathcal{R}}; \quad p_0 = 1 + kT$$



$-1 < kT < 0$   
 $0 < p_0 < 1$   
monotonic  
converging



$-2 < kT < -1$   
 $-1 < p_0 < 0$   
alternating  
converging



$kT < -2$   
 $p_0 < -1$   
alternating  
diverging

## Check Yourself!

---

$$\frac{D_o}{D_i} = \frac{-kT\mathcal{R}}{1 - (1 + kT)\mathcal{R}}$$

Which value of  $kT$  gives the fastest convergence of the unit-sample response?

1.  $kT = -2$
2.  $kT = -1$
3.  $kT = 0$
4.  $kT = 1$
5.  $kT = 2$
0. None of the above

## Check Yourself!

---

$$\frac{D_o}{D_i} = \frac{-kT\mathcal{R}}{1 - (1 + kT)\mathcal{R}}$$

Which value of  $kT$  gives the fastest convergence of the unit-sample response?

1.  $kT = -2$
2.  $kT = -1$
3.  $kT = 0$
4.  $kT = 1$
5.  $kT = 2$
0. None of the above

$$p_0 = 1 + kT$$


We want  $p_0$  as close to 0 as possible

## Example: Wall Finder

---

Optimal gain  $k$  moves robot to desired position in **one** step!

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder

---

Optimal gain  $k$  moves robot to desired position in **one** step!

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder

---

Optimal gain  $k$  moves robot to desired position in **one** step!

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .






## Example: Wall Finder

---

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .






# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder

Optimal gain  $k$  moves robot to desired position in **one** step!


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



## Example: Wall Finder *with Delay*

---

Adding delay tends to destabilize control systems.




proportional controller:  $v[n] = ke[n] = k(d_i[n] - d_s[n])$

locomotion:  $d_o[n] = d_o[n - 1] - Tv[n - 1]$

**sensor with delay:**  $d_s[n] = d_o[n - 1]$


## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



## Example: Wall Finder *with Delay*


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .






## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



## Example: Wall Finder *with Delay*


Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .






## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .




## Example: Wall Finder *with Delay*

Assume  $d_i[n] = 0.5m$  and  $d_o[0] = 1.5m$  and  $T = 0.1s$ .



# Example: Wall Finder *with Delay*


Incorporating sensor delay in block diagram:




proportional controller:  $v[n] = ke[n] = k(d_i[n] - d_s[n])$

locomotion:  $d_o[n] = d_o[n - 1] - Tv[n - 1]$

sensor with delay:  $d_s[n] = d_o[n - 1]$




## Example: Wall Finder *with Delay*



What is the system functional  $\frac{D_o}{D_i}$ ?

1.  $\frac{kT\mathcal{R}}{1 - \mathcal{R}}$
2.  $\frac{-kT\mathcal{R}}{1 + \mathcal{R} + kT\mathcal{R}^2}$
3.  $\frac{-kT\mathcal{R}}{1 - \mathcal{R} - kT\mathcal{R}^2}$
4.  $\frac{kT\mathcal{R}}{1 - \mathcal{R}} + kT$

## Example: Wall Finder *with Delay*




What is the system functional  $\frac{D_o}{D_i}$ ?

1.  $\frac{kT\mathcal{R}}{1 - \mathcal{R}}$
2.  $\frac{-kT\mathcal{R}}{1 + \mathcal{R} + kT\mathcal{R}^2}$
3.  $\frac{-kT\mathcal{R}}{1 - \mathcal{R} - kT\mathcal{R}^2}$
4.  $\frac{kT\mathcal{R}}{1 - \mathcal{R}} + kT$

## Example: Wall Finder *with Delay*



---

Represent system with single system functional:





## Example: Wall Finder *with Delay*

Represent system with single system functional:



## Example: Wall Finder *with Delay*

Represent system with single system functional:



$$D_i \rightarrow \boxed{\frac{-kT\mathcal{R}}{1 - \mathcal{R} - kT\mathcal{R}^2}} \rightarrow D_o$$



## Example: Wall Finder *with Delay*

---

Substitute  $\frac{1}{z}$  for  $\mathcal{R}$  to find the poles.

$$\frac{Y}{X} = \frac{-kT\mathcal{R}}{1 - \mathcal{R} - kT\mathcal{R}^2}$$

## Example: Wall Finder *with Delay*

---

Substitute  $\frac{1}{z}$  for  $\mathcal{R}$  to find the poles.

$$\frac{Y}{X} = \frac{-kT\mathcal{R}}{1 - \mathcal{R} - kT\mathcal{R}^2}$$

$$\frac{Y}{X} = \frac{-kT\frac{1}{z}}{1 - \frac{1}{z} - kT\left(\frac{1}{z}\right)^2}$$

## Example: Wall Finder *with Delay*

---

Substitute  $\frac{1}{z}$  for  $\mathcal{R}$  to find the poles.

$$\frac{Y}{X} = \frac{-kT\mathcal{R}}{1 - \mathcal{R} - kT\mathcal{R}^2}$$

$$\frac{Y}{X} = \frac{-kT\frac{1}{z}}{1 - \frac{1}{z} - kT\left(\frac{1}{z}\right)^2}$$

$$\frac{Y}{X} = \frac{-kTz}{z^2 - z - kT}$$

## Example: Wall Finder *with Delay*

---

Substitute  $\frac{1}{z}$  for  $\mathcal{R}$  to find the poles.

$$\frac{Y}{X} = \frac{-kT\mathcal{R}}{1 - \mathcal{R} - kT\mathcal{R}^2}$$

$$\frac{Y}{X} = \frac{-kT\frac{1}{z}}{1 - \frac{1}{z} - kT\left(\frac{1}{z}\right)^2}$$

$$\frac{Y}{X} = \frac{-kTz}{z^2 - z - kT}$$


The poles are the roots of the denominator in  $z$ :

$$z = \frac{1}{2} \pm \sqrt{\frac{1}{4} + kT}$$

## Example: Wall Finder *with Delay*

For small  $kT$ , the poles are at  $z \approx -kT$  and  $z \approx 1 + kT$ .


$$z = \frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 + kT} = \frac{1}{2} (1 \pm \sqrt{1 + 4kT}) \approx \frac{1}{2} (1 \pm (1 + 2kT)) = 1 + kT, -kT$$



## Example: Wall Finder *with Delay*

For small  $kT$ , the poles are at  $z \approx -kT$  and  $z \approx 1 + kT$ .

$$z = \frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 + kT} = \frac{1}{2} (1 \pm \sqrt{1 + 4kT}) \approx \frac{1}{2} (1 \pm (1 + 2kT)) = 1 + kT, -kT$$




Pole near 0 generates fast response. Pole near 1 generates slow response.

## Example: Wall Finder *with Delay*

For small  $kT$ , the poles are at  $z \approx -kT$  and  $z \approx 1 + kT$ .

$$z = \frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 + kT} = \frac{1}{2} (1 \pm \sqrt{1 + 4kT}) \approx \frac{1}{2} (1 \pm (1 + 2kT)) = 1 + kT, -kT$$




Pole near 0 generates fast response. Pole near 1 generates slow response.

**Slow mode dominates the response.**

## Example: Wall Finder *with Delay*

As  $kT$  becomes more negative, the poles move toward each other and collide at  $z = \frac{1}{2}$  when  $kT = -\frac{1}{4}$ .

$$z = \frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 + kT} = \frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 - \frac{1}{4}} = \frac{1}{2}, \frac{1}{2}$$






## Example: Wall Finder *with Delay*

If  $kT < -\frac{1}{4}$ , the poles are complex.

$$z = \frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 + kT} = \frac{1}{2} \pm j\sqrt{-kT - \left(\frac{1}{2}\right)^2}$$



Complex poles  $\rightarrow$  oscillations.

# Complex Poles


---

Complex poles, but real-valued response. This happens because poles come in complex conjugate pairs (summing  $p_0^n + p_1^n$  yields a real number if  $p_0$  and  $p_1$  are complex conjugates).

The period of oscillation of the resulting real-valued signal is the same as the periods of the complex-valued signals!


$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---





$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$

---









$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---



$$p_0 = 0.98e^{\pm 0.2j}$$


---






$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 0.98e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$






$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$


---



$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---






$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$


---



$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$


---



$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$






$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



$$p_0 = 1.01e^{\pm 0.2j}$$


---






$$p_0 = 1.01e^{\pm 0.2j}$$

---




$$p_0 = 1.01e^{\pm 0.2j}$$

---



# Check Yourself!

---




What is the period of the oscillation?

- 1.
- 2.
- 3.
- 4.
- 6.

# Check Yourself!

---




What is the period of the oscillation?

- 1.
- 2.
- 3.
- 4.
- 6.

# Feedback and Control: Poles

---

The poles depend on gain!




If  $kT : 0 \rightarrow -\infty$ : then  $(z_1, z_2) : (0, 1) \rightarrow (\frac{1}{2}, \frac{1}{2}) \rightarrow (\frac{1}{2} \pm j\infty)$

# Feedback and Control: Poles

---


The poles depend on gain!



If  $kT : 0 \rightarrow -\infty$ : then  $(z_1, z_2) : (0, 1) \rightarrow (\frac{1}{2}, \frac{1}{2}) \rightarrow (\frac{1}{2} \pm j\infty)$

Our design problem can be thought of as choosing  $k$  to move the poles to a “desirable” location in the complex plane.

# Check Yourself!




closed-loop poles

$$\frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 + kT}$$

Find  $kT$  for fastest response.

1. 0
2.  $-1/4$
3.  $-1/2$
4.  $-1$
5.  $-\infty$
0. None of the above

# Check Yourself!



closed-loop poles

$$\frac{1}{2} \pm \sqrt{\left(\frac{1}{2}\right)^2 + kT}$$

Find  $kT$  for fastest response.

1. 0
2.  $-1/4$
3.  $-1/2$
4.  $-1$
5.  $-\infty$
0. None of the above




# Effect of Delay

Adding delay to the feedback loop makes the system more difficult to stabilize.

Ideal sensor:  $d_s[n] = d_o[n]$

More realistic sensor:  $d_s[n] = d_o[n - 1]$



Fastest response without delay: single pole at 0


Fastest with delay: double pole at 0.5 (**slower!**)

# Effect of Delay

Adding more delay in the feedback loop is even worse.

More realistic sensor:  $d_s[n] = d_o[n - 1]$

Doubly-delayed sensor:  $d_s[n] = d_o[n - 2]$




Fastest with delay: double pole at 0.5

Fastest with two delays: double pole at 0.682 (**slower!**)

## Check Yourself!

---




Which of the following statements are true?

1. The system has 3 poles.
2. Unit-sample Response is the sum of 3 geometric sequences.
3. Unit-sample Response is  $y[n] = [0, 0, 0, 1, 0, 0, 1, 0, 0, 1, \dots]$
4. Unit-sample Response is  $y[n] = [1, 0, 0, 1, 0, 0, 1, 0, 0, 1, \dots]$
5. One of the poles is at  $z = 1$ .

## Check Yourself!

---



Which of the following statements are true?

1. The system has 3 poles.
2. Unit-sample Response is the sum of 3 geometric sequences.
3. Unit-sample Response is  $y[n] = [0, 0, 0, 1, 0, 0, 1, 0, 0, 1, \dots]$
4. Unit-sample Response is  $y[n] = [1, 0, 0, 1, 0, 0, 1, 0, 0, 1, \dots]$
5. One of the poles is at  $z = 1$ .

# Summary

---

System functionals provide a convenient summary of information that is important for designing control systems.

The unit sample response of a feedback system is the sum of scaled geometric sequences whose bases are the system's poles.

The long-term behavior of a system is determined by its dominant pole (i.e., the pole with the largest magnitude).

**This Week's Labs:** Fixing Wall Follower